

REPLACEMENT SHEET

1/18

2





FIG. 1

+

FIG. 2



+

REPLACEMENT SHEET

3/18




FIG. 3

+

4/18




FIG. 4

+

5/18




FIG. 5

6/18




FIG. 6

+

7/18

400

Select Host and Configuration Policy

Select one of the Hosts To Configure

Central Office Server

Accounting Dept. Server

Shipping Dept. Server

E-Commerce Sales Server A

Select one Configuration Policies to Use

Bronze Configuration

Silver Configuration

Gold Configuration

Platinum Configuration

406

More Info

408

Next>

Cancel

FIG. 7

+

8/18




FIG. 8

+

REPLACEMENT SHEET

9/18




FIG. 9

+

10/18




FIG. 10

+

11/18

128a...n




FIG. 11




FIG. 12

+

REPLACEMENT SHEET

12/18

800

×

Select Host and Configuration Policy

Select Policy To Configure

Bronze Configuration
Silver Configuration
Gold Configuration
Platinum Configuration

▼

New

Select Desired Throughput for Configuration

804
MegaBytes
per second

Selected Throughput

100

MB/sec

Select Desired Availability Level

810a
Standard Availability
 (No data or hardware
 redundancy)

810b
High Availability
 Data Redundancy
 and multiple paths
 to storage.

810c
Continuous Availability
 (High data and hardware
 redundancy, no
 single point of failure)

Select Desired Latency Level

814a
Low Latency

814b
Standard Latency

814c
High Latency

820

Finish

Cancel

FIG. 13

+

13/18




FIG. 14

+

14/18




FIG. 15

+

15/18




FIG. 16a

16/18




FIG. 16b

17/18




FIG. 17

+

REPLACEMENT SHEET

18/18




FIG. 18